

**EPA DESIGNATED ITEM  
TABLE  
APPENDIX A**

<b>EPA Designated Items</b>	<b>Recovered Materials Content Recommendation (%)</b>
<b>Reclaimed Engine Coolant</b>	Purchase reclaimed coolants in either of the two base chemical types (ethylene glycol or propylene glycol), not commingled.
<b>Structural Fiberboard</b>	80-100 percent total recovered material in either insulating or structural applications
<b>Laminated Paperboard</b>	100 percent postconsumer recovered paper for insulating or structural applications.
<b>Carpet</b>	25-100 percent polyester carpet fiber face, PET resin.
<b>Floor Tiles</b>	90-100 percent postconsumer or recovered materials for heavy duty or commercial use rubber or plastic tiles.
<b>Patio Blocks</b>	90-100 percent postconsumer rubber and/or rubber blends or 90-100 percent total recovered plastic and/or plastic blends for heavy duty commercial type patio blocks.
<b>Traffic Barricades</b>	100 percent total recovered material, consisting of 80-100 percent postconsumer HDPE, LDPE, PET, or steel. 100 percent total recovered material for fiber-glass traffic barricades.
<b>Traffic Cones</b>	50-100 percent total recovered PVC, LDPE, or crumb rubber material.
<b>Playground Surfaces</b>	90-100 percent postconsumer rubber or plastic recovered materials based on dry weight of the raw materials.
<b>Hydraulic Mulch</b>	100 percent recovered paper or 100 percent recovered wood and/or paper for landscaping.

<b>EPA Designated Items</b>	<b>Recovered Materials Content Recommendation (%)</b>
<b>Yard Trimmings</b>	Purchased or produced yard trimmings, leaves, and/or grass clippings, using an on-site composting system when feasible.
<b>Office Recycling Containers</b>	Plastic at 20-100 percent postconsumer recovered materials, steel at 25-100 percent total recovered materials, and paper at content levels listed in part A of the RMAN
<b>Office Waste Receptacles</b>	Identical descriptions to those above for office recycling containers.
<b>Plastic Desktop Accessories</b>	25-80 percent polystyrene postconsumer recovered materials.
<b>Remanufactured Toner Cartridges</b>	Remanufacturing expended cartridges and purchasing remanufactured or new toner cartridges made with recovered materials.
<b>Binders</b>	25-50 percent recovered material for plastic covered office binders. Refer to RMAN Part A, for chipboard, paperboard, or pressboard binders or components.
<b>Plastic Trash Bags</b>	10-100 percent postconsumer recovered material plastic content.
<b>Retread Tires</b>	Agencies must purchase retread tires or tire retreading services to the maximum extent feasible
<b>Refined Lubricating Oil</b>	25 percent or more re-refined oil base stock for lubricating oil, hydraulic fluids, and gear oils.
<b>Cement and Concrete containing Coal Fly Ash</b>	20-40 percent coal fly ash.
<b>Cement and Concrete containing Ground Granulated Blast Furnace (GGBF) slag</b>	25-50 percent GGBF slag.

<b>EPA Designated Items</b>	<b>Recovered Materials Content Recommendation (%)</b>
<b>Running Tracks</b>	Subject to the same content as playground surfaces.
<b>Geotextiles</b>	Establishing preference standards for this item depends on the federal procurement, based on EPA's guidelines.
<b>Fiberglass Insulation</b>	20-25 Percent